



SINGLE USE SUCTION TUBES

PROFESSIONAL RANGE

SINGLE USE



THE PROBLEM

Dirt found inside a **reusable** suction tube **after** cleaning and sterilization



When reusable instruments can not be guaranteed clean, or are being lost, damaged and frequently replaced, single use instruments are a convenient cost effective option.



THE SOLUTION

Single use suction tubes

GUARANTEED CLEAN

All cannulated instruments are manufactured in UK clean rooms using processes that ensure internal lumens are guaranteed clean and sterile to eliminate the risk of contamination from manufacturing debris. Every instrument is delivered in individual sterile pouches for immediate use in the sterile field.

CUSTOMER FOCUS

Meeting customer needs is at the heart of the company. Customer demand has driven the development of the extensive PROFESSIONAL range of suction tubes and other devices for many areas of surgery.

EXTENSIVE RANGE

The PROFESSIONAL range of suctions offers an extensive choice of length, lumen size and tip finish to enable you to find the right match for procedure, patient and surgeon.

ERGONOMIC HANDLE

A unique handle design provides optimum ergonomics with slim, smooth contours for comfort and improved visibility. Engineered to prevent blocking.

CONTROL HOLE

The suction control hole allows fine manipulation of suction with minimal noise.



CONTENTS

SUCTIONS

| | |
|-----------------------------|-------|
| Customized Suction | 4 |
| Standard Suction Size Chart | 5 |
| Standard Suctions | 6-9 |
| Long Suctions | 10-11 |
| Specialist Suctions | 12-19 |
| Laser Suctions | 20 |
| Teardrop Suctions | 21 |
| Diathermy Suctions | 22-24 |
| Insulated Suctions | 25 |

NEEDLES & TUBES

| | |
|--------------------|----|
| Aspiration Needles | 26 |
| Aspiration Tube | 26 |

CANNULA

| | |
|----------------------------------|----|
| Drainage Cannula | 27 |
| Sinus Trocar Cannula | 27 |
| Angled, Straight, Curved Cannula | 28 |
| Spackman Cannula | 29 |

KERRISONS

| | |
|--------------------------|-----------|
| PACKAGING SYMBOLS | 31 |
|--------------------------|-----------|

CUSTOMIZED SUCTION

Geared to specific consumer needs





Ask for a quote or order your customized Single Use Suction Tubes directly online with Accuratus AG.

Find this form to fill in on: www accuratus.ch/einwegsauger-op.html

Dimensions


| Ref. | Type | Your Values | Preferred values |
|----------|------------------------|-------------|--|
| a | Working Length | | 100 / 140 / 200 / 280 / 400mm or individual |
| b | Diameter Ø | | 0,55 mm (24g) / 0,9mm (20g) / 1,25 mm (18g) 2,1 mm (6fg) / 3,0mm (9fg) / 4,0mm (12fg) / 5,0 mm (15fg) |
| c | Length before the bend | | 20 / 80 mm or individual |
| d | Bend angle | | 30° / 60° / 90° or individual |
| e | Angle in the bend | | individual |

Suction end

| | |
|--|--|
| Standard Suction Tip  <input type="checkbox"/> | Rounded Suction Tip  <input type="checkbox"/> |
| Fenestrated Suction Tip  <input type="checkbox"/> | Fenestrated and Rounded Suction Tip  <input type="checkbox"/> |







Handle with suction control hole



Minimal items special suction tube per type, 15 Stk. (Fill one form per type)

STANDARD SUCTION / 30° BEND, SIZE CHART







| Working Length | Standard Polished Tip | | | | Standard Rounded Tip | | | Standard Fenestrated Tip | | | Standard Fenestrated & Rounded Tip | | |
|----------------|-----------------------|---------|----------|----------|----------------------|---------|----------|--------------------------|---------|----------|------------------------------------|---------|----------|
| | 6fg~2mm | 9fg~3mm | 12fg~4mm | 15fg~5mm | 6fg~2mm | 9fg~3mm | 12fg~4mm | 6fg~2mm | 9fg~3mm | 12fg~4mm | 6fg~2mm | 9fg~3mm | 12fg~4mm |
| 5,5cm | 6fgN100 | 9fgN100 | | | | | S236 | | S086* | S087* | | | |
| 7cm | | | | | S102 | S103 | | | | | | | |
| 9cm | 6fgN140 | 9fgN140 | S034 | S340 | S037 | S014 | S104 | S002 | S060 | S091 | S092 | S093 | |
| 13cm | S077 | S076 | S074 | S390 | S095 | S096 | S133 | S055 | S001 | S071 | S094 | S343 | |
| 15cm | | S005 | | | | | | | | | | | |
| 17cm | | | S199* | | | | | | | S120 | S075 | | |
| 20cm | S031 | S024 | S021 | | S156 | S319 | S318 | S466* | S465* | | | | |
| 27cm | S020 | S011 | | | S185 | S182 | | | | | | | |
| 35cm | | S036 | | | | S187 | S284* | | | | | | |
| 40cm | | | S109 | | | | | | | | | | |
| 45cm | S258* | S015 | | | | S183 | | | | | | | |
| 50cm | | | S132* | | | | | | | | | | |
| 55cm | | S111 | S038 | | | | S184 | | | | | | |

* Made to order (6-8 weeks)

STANDARD POLISHED TIPS

All suctions have smooth polished tips.






| | Description | Working Length | Lumen | Ref. |
|---|-------------|----------------|-------|-------------------------|
|  | Zoellner | 5.5cm | 6fg | 6fgN100 |
| | Mastoid | 5.5cm | 9fg | 9fgN100 |
|  | Frazier | 9cm | 6fg | 6fgN140 |
| | | | 9fg | 9fgN140 |
| | | | 12fg | S034 |
| | | | 15fg | S340 |
| | | 13cm | 6fg | S077 |
| | | | 9fg | S076 |
| | | | 12fg | S074 |
| | | | 15fg | S390 |
| | | | 15cm | 9fg |
| | | 17cm | 12fg | S199* |
|  | Magill | 3.5cm | 6fg | 6fgF140 |
| | | | 9fg | 9fgF140 |

* Made to order (6-8 weeks)

STANDARD ROUNDED TIPS


A range of suction tubes with a smooth rounded tip for atraumatic tissue contact.




| | Description | Working Length | Lumen | Ref. |
|---|-----------------|----------------------|-------|----------------------|
|  | Rounded Suction | 5.5 cm | 12fg | S236 |
|  | Rounded Frazier | 7 cm | 6fg | S102 |
| | | | 9fg | S103 |
| | | 9 cm | 6fg | S037 |
| | | | 9fg | S014 |
| | | | 12fg | S104 |
| | | | 6fg | S095 |
| 13 cm | 9fg | S096 | | |
| | 12fg | S133 | | |
|  | Rounded Magill | 3.5 cm | 9fg | S046 |

STANDARD FENESTRATED TIPS

A range of suctions with fenestrated tips
to disperse aspiration and prevent suction trauma.




| | Description | Working Length | Lumen | Ref. |
|---|---------------------|-----------------------|-------|-----------------------|
|  | Fenestrated Suction | | 6fg | S086* |
| | | 5 cm | 9fg | S087* |
| | | | 12fg | S160* |
| | | 9 cm | 6fg | S002 |
| | | | 9fg | S060 |
| | | 13 cm | 6fg | S055 |
| | | | 9fg | S001 |
| | | | 12fg | S042 |
| | | 20 cm | 6fg | S466* |
| | | | 9fg | S465* |
| | 12fg | S464* | | |

* Made to order (6-8 weeks)

STANDARD FENESTRATED & ROUNDED TIPS

Suctions that benefit from a tip that is both fenestrated and rounded.




| | Description | Working Length | Lumen | Ref. |
|---|-----------------------------|----------------|-------|----------------------|
|  | Fenestrated Rounded Frazier | | 6fg | S091 |
| | | 9 cm | 9fg | S092 |
| | | | 12fg | S093 |
| | | | 6fg | S071 |
| | | 13 cm | 9fg | S094 |
| | | | 12fg | S343 |
| | | | 6fg | S120 |
| | | 17 cm | 9fg | S075 |

LONG SUCTIONS / 30° BEND


A range of long suction tubes to optimize reach and visibility during ENT procedures.

- ▷ Brushed stainless steel prevents glare and reflection
- ▷ Strong high quality tube



Procedure recommendations


- ▷ Bronchoscopy **S187**
- ▷ Laryngoscopy **S182**
- ▷ Oesophagoscopy **S183 / S184**
- ▷ Microlaryngoscopy **S156 / S319**



| Working Length | Polished Tip | | | Rounded Tip | | |
|----------------|--------------|-------------|--------------|-------------|-------------|--------------|
| | 6fg~2mm | 9fg~3mm | 12fg~4mm | 6fg~2mm | 9fg~3mm | 12fg~4mm |
| 20cm | S031 | S024 | S021 | S156 | S319 | S318 |
| 27cm | S020 | S011 | | S185 | S182 | |
| 35cm | | S036 | | | S187 | S284* |
| 40cm | | | S109 | | | S329 |
| 45cm | S258* | S015 | | | S183 | |
| 50cm | | | S132* | | | |
| 55cm | | S111 | S038 | | | S184 |

* Made to order (6-8 weeks)

LONG SUCTION / 60° BEND





- ▷ 60° bend, provides a more acute angle than our standard suctions
- ▷ Brushed stainless steel prevents glare and reflection
- ▷ Fenestrated & rounded tip disperses suction and provides atraumatic tissue contact

| Working Length | Polished Tip | | Fenestrated & Rounded Tip | |
|----------------|--------------|---------|---------------------------|----------|
| | 12fg~4mm | 6fg~2mm | 9fg~3mm | 12fg~4mm |
| 20cm | | S168 | S169 | |
| 23cm | | | | S459* |
| 31cm | S131 | | | S469* |
| 34cm | | | | S460* |
| 40cm | | | | S470* |
| 44cm | S043* | | | S461* |
| 50cm | | | | S471* |

* Made to order (6-8 weeks)


MICRO SUCTION

The micro suction has an 18g fine tip bonded into the tube.



| Reference | Description | Working Length | Lumen |
|----------------------|---------------|----------------|-------|
| S434 | Micro Suction | 7 cm | 18g |

FINE SUCTIONS




| Reference | Description | Working Length | Lumen |
|-----------------------|--------------|----------------|-------|
| S176* | Fine Suction | 8 cm | 3fg |
| S177 | Fine Suction | 8 cm | 5fg |

* Made to order (6-8 weeks)

ROUNDED SUCTION WITH 4 FENESTRATIONS

This ultra delicate suction has 4 fenestrations that are 1mm in diameter at the tip.



| Reference | Description | Working Length | Lumen |
|-----------|---------------------------------------|----------------|-------|
| S147 | Rounded Suction / Fenestrations 4x1mm | 9cm | 12fg |

SOFT TIP SUCTION



A suction with a soft silicone tip for very delicate procedures.



| Reference | Description | Working Length | Lumen |
|-----------|------------------|----------------|-------|
| S321 | Soft Tip Suction | 9cm | 6fg |

RETRACTOR SUCTION

A suction with a curved lip at its tip to allow simultaneous nerve retraction and aspiration. The tube is flattened for easy access to the surgical site.



| Reference | Description | Working Length | Lumen |
|-------------|-----------------------|----------------|-------|
| S435 | Retractor Suction 60° | 12 cm | 12fg |


DISSECTOR SUCTION WITH FLATTENED TIP

A straight tube finished with a flattened polished tip.



| Reference | Description | Working Length | Lumen |
|-------------|---------------------------------|----------------|-------|
| S436 | Dissector Suction Flattened Tip | 13 cm | 12fg |

SHEFFIELD CLIP




Suction with novel clip to allow attachment to a laryngoscope during endolaryngeal laser surgery. Enables effective smoke plume evacuation and is detachable in the instance of bleeding.



| Reference | Description | Working Length | Lumen |
|-----------|---------------------------------------|----------------|-------|
| S240 | Sheffield Suction, 90° Bend with Clip | 15 cm | 9fg |

WEIR SUCTION





A suction with a flattened, semi-sharp open end to combine minor dissection with aspiration.



| Reference | Description | Working Length | Lumen |
|-----------|--------------|----------------|-------|
| S009 | Weir Suction | 13 cm | 12fg |

CURVED MICRO SUCTION

Anatomically designed to access harder to reach areas.
Perfect for procedures performed through the nose, the smooth rounded tip allows for gentle, atraumatic dissection.




| Reference | Description | Working Length | Lumen |
|-----------|---|----------------|-------|
| S446* | Curved Micro Suction 30° Bend Rounded Tip 60° Curve (Left) | 15 cm | 9fg |
| S447* | Curved Micro Suction 30° Bend Rounded Tip 60° Curve (Right) | 15 cm | 9fg |

* Made to order (6-8 weeks)

SINUS SUCTIONS

A range of suctions with curved tips for maximum visibility and access in difficult to reach areas.




| 70° Curve Rounded Tip | | 70° Curve Ball End | | 90° Curve Rounded Tip | | 90° Curve Ball End | |
|-----------------------|----------|--------------------|----------|-----------------------|----------|--------------------|----------|
| 9fg~3mm | 12fg~4mm | 9fg~3mm | 12fg~4mm | 9fg~3mm | 12fg~4mm | 9fg~3mm | 12fg~4mm |
| S012 | S013 | S228 | S229 | S040 | S041 | S230 | S231 |

* Made to order (6-8 weeks)

SCHUKNECHTS

Schuknechts have a small tip which is bonded - for security - into the suction end to offer precise fine end aspiration.




| Reference | Description | Working Length | Lumen |
|-----------------------|-------------------------|----------------|-------|
| S007 | Schuknecht Suction | 6 cm | 20g |
| S008 | Schuknecht Suction | 6 cm | 24g |
| S072 | Schuknecht Suction | 6 cm | 18g |
| S157* | Long Schuknecht Suction | 13 cm | 20g |

* Made to order (6-8 weeks)

NASAL ASPIRATING DISSECTOR

The flattened curved tip of this instrument makes it ideal for access and elevation in the nasal cavity. A small fenestration on both sides of the tip allows simultaneous suction.



| Reference | Description | Working Length |
|----------------------|----------------------------|----------------|
| S146 | Nasal Aspirating Dissector | 12 cm |



CURVED SUCTION

This suction has a smooth curvature with rounded and fenestrated tip for atraumatic and dispersed aspiration.



| Reference | Description | Working Length | Lumen |
|-----------|----------------|----------------|-------|
| S026 | Curved Suction | 14cm | 12fg |


POOLE TIP SUCTION



| Reference | Description | Working Length | Lumen |
|-----------|--|----------------|-------|
| S440 | Poole Tip Suction Rounded Fenestrations 4x4x2 mm | 13cm | 12fg |

POOLE SUCTION

The Poole suction has multiple holes around the sheath for dispersed suction and reduced risk of blockage. It also offers the option for finer suction with a simple bayonet twist action.



| Reference | Description | Working Length | Lumen |
|-----------|---------------|--------------------|-------|
| S010 | Poole Suction | 26cm (when closed) | 5mm |

LASER SUCTIONS


Laser suctions combine two instruments in one: a 0.9 mm fibre optic laser port bonded to the suction tube allows simultaneous aspiration with cutting and coagulation.

Continual aspiration of the smoke plume improves visibility and reduces the risk of inhalation of harmful bacteria and viral DNA present in surgical smoke.


▷ For use with 600 micron core laser fibre with 850 micron sheath.

Procedure recommendations


- ▷ Oral Surgery (*tongue/tonsil cancer*) **S204**
- ▷ Maxillo-Facial Surgery (*facial lesions*) **S204**
- ▷ Nasal Surgery (*vaporization of the inferior turbinates*) **S285**






Flush Finish
Laser Channel



Extended Laser
Channel




Extended Angulated
Laser Channel

| | Description | Working Length | Lumen | Ref. |
|---|---|----------------|-------|--------------|
|  | Laser Suction with Extended Laser Channel | 9 cm | 6fg | S110 |
|  | Laser Suction with Flush Finish | 9 cm | 6fg | S165 |
| | | 20 cm | 6fg | S139 |
|  | Fairley Laser Suction with Extended Angulated Tip | 12 cm | 6fg | S285* |

* Made to order (6-8 weeks)




TEARDROP CONTROL SUCTIONS

- ▷ Teardrop shaped control hole for precise suction regulation
- ▷ Malleable tube gives the flexibility to adjust the angle by up to 50° for access to difficult to reach areas
- ▷ Available with a tapered tube to minimise blocking



Tapered Tube



| | Description | Working Length | Lumen | Ref. |
|---|--------------------------|----------------|-------|-----------------------|
|  | Teardrop Micro Suction | 7cm | 18g | S439* |
|  | Teardrop Suction Tapered | 9cm | 6fg | S190 |
| | | 13cm | 6fg | S193* |
|  | Teardrop Suction | 9cm | 9fg | S189 |
| | | 13cm | 9fg | S192* |

* Made to order (6-8 weeks)

DIATHERMY SUCTIONS

Diathermy suctions provide a clear view and a less invasive procedure as the suction and diathermy function can be used simultaneously, minimising the number of instruments in the field of vision.


- ▷ The diathermy also evacuates potentially harmful smoke from the surgical site
- ▷ 4 mm pin connects to diathermy lead
- ▷ Reusable diathermy leads available to purchase



| Working Length | Polished | | Rounded | Fenestrated | Rounded & Fenestrated |
|----------------|----------------------|----------------------|----------------------|----------------------|-----------------------|
| | 9fg~3mm | 12fg~4mm | 9fg~3mm | 9fg~3mm | 9fg~3mm |
| 9cm | S117 | | S136 | | |
| 13cm | S116 | | | | S119 |
| 19cm | | S195 | | | |
| 20cm | S115 | | | | |
| 22cm | | | | S113 | |
| 27cm | S114 | | | | |

DIATHERMY SUCTIONS 40°

Diathermy suctions provide a clear view and a less invasive procedure as the suction and diathermy function can be used simultaneously, minimising the number of instruments in the field of vision.



- ▷ Anatomically designed to access harder to reach areas
- ▷ Often associated with Submucosal Diathermy (SMD)
- ▷ Combined diathermy and suction for targeted and effective smoke extraction
- ▷ 4 mm pin connects to diathermy lead
- ▷ Reusable diathermy leads available to purchase



| Reference | Description | Working Length | Lumen |
|-----------|---|----------------|-------|
| S448 | Diathermy Abbey Needle 40° with Suction | 10 cm | 6fg |

DIATHERMY SUCTIONS 60°

Diathermy suctions provide a clear view and a less invasive procedure as the suction and diathermy function can be used simultaneously, minimising the number of instruments in the field of vision.


- ▷ The diathermy also evacuates potentially harmful smoke from the surgical site
- ▷ 4 mm pin connects to diathermy lead
- ▷ Reusable diathermy leads available to purchase



| Reference | Description | Working Length | Lumen |
|-----------|-----------------------|----------------|-------|
| S438 | Diathermy Suction 60° | 18cm | 9fg |

INSULATED SUCTIONS

A range of suctions with protective insulation to allow use with diathermy.




| Reference | Description | Working Length | Lumen |
|-----------|-----------------------|----------------|-------|
| S025 | Insulated Frazier | 9cm | 9fg |
| S433* | Insulated Suction 90° | 17cm | 6fg |
| S432* | Insulated Suction 90° | 17cm | 9fg |

* Made to order (6-8 weeks)

ASPIRATION NEEDLES


Aspiration needles with a sharp bevelled tip for safe and controlled penetration when aspirating fluids from cysts and organs. Luer Lock.



| Reference | Description | Working Length | Lumen |
|-----------|-------------------|----------------|-------|
| S019 | Aspiration Needle | 32 cm | 3 mm |
| S080 | Aspiration Needle | 32 cm | 5 mm |


ASPIRATION TUBE

Atraumatic blunt ended tube with Luer Lock.



| Reference | Description | Working Length | Lumen |
|-----------|-----------------------|----------------|-------|
| S112 | Blunt Aspiration Tube | 33 cm | 4 mm |

DRAINAGE CANNULA



The closed end, side hole and flexible tube connector on the Drainage Cannula makes it ideal for ventricular localisation, catheter placement and, when used with a syringe, brain cavity fluid aspiration. The cannula is etched at approximate 1 cm markings, as a guide only; this is not a calibrated instrument.




| Reference | Description | Working Length | Lumen |
|-----------|------------------|----------------|-------|
| S443 | Drainage Cannula | 9 cm | 6fg |

SINUS TROCAR CANNULA

The Sinus Trocar Cannula - also known as an antrum cannula - consists of a removable cannula over a 11.2 cm trocar to allow washout of the sinuses.



Trocar 16g 11.2 cm

Cannula 14g 10.7 cm with Luer Lock



| Reference | Description |
|-----------|----------------------|
| S081 | Sinus Trocar Cannula |

ANGLED CANNULA




| Reference | Description | Working Length |
|----------------------|--------------------|----------------|
| S028 | Angled Cannula 19g | 2,5cm |

CANNULA STRAIGHT



| Reference | Description | Working Length | Lumen |
|----------------------|------------------|----------------|-------|
| S214 | Cannula Straight | 7cm | 6fg |


CANNULA CURVED




| Reference | Description | Working Length | Lumen |
|----------------------|-------------------------|----------------|-------|
| S213 | Cannula Curved Set of 2 | 7cm | 6fg |

SPACKMAN CANNULA

- ▷ Hydrotubation dye tests
- ▷ Uterine manipulation during laparoscopy




Fixed Acorn




Moveable Acorn



Rounded & Fenestrated Tip



Self-Locking Clamp



| Reference | Description | Working Length | Lumen |
|-----------|-------------------------------|----------------|-------|
| S029 | Spackman Cannula | 32 cm | 12fg |
| S030 | Spackman Cannula Moving Acorn | 32 cm | 12fg |


KERRISONS

Designed for single patient use to eliminate cross infection and guarantee a sharp cut.













- ▷ Ergonomic hand-polished edges
- ▷ Quality & functionality matches reusables



45°
Upward cutting



| Reference | Description |
|----------------------|------------------------------|
| S125 | Kerrison Punch 1 mm x 200 mm |
| S126 | Kerrison Punch 2 mm x 200 mm |
| S127 | Kerrison Punch 3 mm x 200 mm |
| S137 | Kerrison Punch 4 mm x 200 mm |
| S138 | Kerrison Punch 5 mm x 200 mm |

| Symbol | Meaning | Symbol | Meaning | Symbol | Meaning |
|---|---|---|---|---|----------------------------------|
|  | Batch Code |  | Schuknecht Suction |  | Spinal Dissector Suction |
|  | Sterilized using Ethylene Oxide |  | Weir Suction |  | Nasal Elevator Suction |
|  | Use by Date |  | Aspiration Needle |  | Soft Tip Suction |
|  | Single Use |  | Dandy Cannula |  | Spackman Cannula |
|  | CE mark including SGS (notified body) identification number. Product conforms with the European Medical Devices Directive 93/42/EEC |  | Insulated Polished Tip Suction |  | Kerrison |
|  | Do not use if package is damaged |  | Insulated Rounded Tip Suction |  | Ball End Suction |
|  | Product does not contain latex |  | Insulated Fenestrated Tip Suction |  | Laser Suction Flush Finish |
|  | Sharps Warning |  | Insulated Rounded Fenestrated Tip Suction |  | Laser Suction Extended |
|  | Polished Tip Suction |  | Sinus Trocar |  | Laser Suction Extended Angulated |
|  | Rounded Tip Suction |  | Cardiac/ Poole Suction |  | Nerve Root Retractor Suction |
| | |  | Polished Fenestrated Tip Suction |  | Rounded Fenestrated Tip Suction |

Import & distribution for Switzerland
by Accuratus AG

Tel. +41 31 372 17 11
Fax +41 31 372 22 41
mailbox@accuratus.ch
www.accuratus.ch
www.subtilis.com

accuratus®

Manufacturer

Eakin Surgical Ltd.
Greypoint
Cardiff Business Park
UK-14 5WF Cardiff



All Rights Reserved.