

NEXO

PROFESSIONAL
SNEAKER



With a dynamic design and a unique curve, **NEXO** suits everyone who has a job that requires speed and agility.

Description

NEXO, is a bicoloured occupational sneaker made entirely of polymeric materials with the following components:

- Removable insole;
- Instep-strap;
- Ventilation holes — both on sneaker and insole.

Users

NEXO, is ideal for very active people, who walk a lot and fast in either work or leisure activities. It is also recommended for who has a tendency to incur in foot discomfort or lower body fatigue, especially to be used in:



Operation
Room



Hospitals and Other
Healthcare Institutions



Catering
Industry



Geriatrics and
Physiotherapists

Specifications



Sterilizable

Produced in an high quality polymer which allows sterilization in autoclave up to 134 °C.



Closed Heel

Additional support for the moments that require extra agility.



Removable Insole

It's detachable to allow a deeper cleaning.



Shock Absorption

The special design helps to reduce the occurrence of micro-lesions in tendons, bones and joints, and the feeling of tired legs.



Antistatic

Promotes the dissipation of accumulated static electricity.



Upper Liquid Protection

Avoids the entrance of liquids inside the shoe.



Breathable

Regulates the temperature and humidity of the foot.



Washable

The footwear can be machine washed up to 90 °C.



Antislip

The sole is designed to reduce the risk of slipping.



Lemon Scent

The footwear has a fresh and soft fragrance, with a lemon scent.



Unisex

Style designed to be worn by men and women.

Materials and Technologies



NEXO is made with **Steri-tech™** technology. Its material allows sterilization up to 134°C, is non-toxic and provides odor resistance, bacterial and fungal growth inhibition.



NEXO's exclusive **Steri-tech™** insole uses Grid Design™ technology to improve its shock absorption capacity, while being highly flexible and breathable to allow maximum comfort.



Technical Standard



CE In accordance with directive 89/686/EEC.



EN ISO 20347: 2012 Personal protective equipment — Occupational footwear, class II.



SATRA TM 144: 2011 Friction (slip resistance) of footwear and floorings test.
SATRA TM 158: 1992 Washability

Technical Specifications

- Heat resistance — up to a maximum of 134 °C;
- Slip-resistant;
- Resistant to abrasion;
- Resistant to detergents;
- Resistant to lactic acid;
- Resistant to liquids (such as infiltration of blood);
- Resistant to chemicals;
- Resistant to saltwater;
- Recyclable.

Care and Cleaning

Wash: Machine washable up to a maximum temperature of 90 °C. Can also be steam sterilized in autoclave up to 134 °C.

Dry: Wipe with a cloth or dry at room temperature.

Attention

NEXO resists to several sterilizations in autoclave, but durability might be impaired depending on sterilization parameters and number of cycles. **NEXO** also resists to several washings at 90°C in the washing machine. It is not recommended the use of bleaching agents during washing machine cycles at 90 °C. The resistance of **NEXO** material to washing depends on several factors:

- Type of detergent;
- Concentration;
- Cycles' duration;
- Temperature;
- Physical stress during the cycles.