

# CLOG

MAXIMUM  
PERFORMANCE



For professionals who work in the most demanding environments, the **CLOG** is the ideal style.

## Description

**CLOG**, is a bicolored occupational clog entirely made of polymeric materials and with the following components:

- Antistatic insert;
- Heel-strap;
- Removable insole;
- Ventilation holes — both on clog and insole.

## Users

**CLOG**, is ideal for activities in which professionals spend many hours standing and, who hence have a tendency to suffer foot discomfort or lower body fatigue, especially to be used in:



Operation  
Room



Hospitals and Other  
Healthcare Institutions



Pharmaceutical  
Industry

## Specifications



### Sterilizable

Produced in an high quality polymer which allows sterilization in autoclave up to 134 °C.



### Removable Insole

It's detachable to allow a deeper cleaning.



### Shock Absorption

The special design helps to reduce the occurrence of micro-lesions in tendons, bones and joints, and the feeling of tired legs.



### Antistatic

Promotes the dissipation of accumulated static electricity.



### Upper Liquid Protection

Avoids the entrance of liquids inside the shoe.



### Breathable

Regulates the temperature and humidity of the foot.



### Removable Strap

Increases comfort and support to the heel, as well as keeps your foot firmly in the footwear.



### Washable

The footwear can be machine washed up to 90 °C.



### Antislip

The sole is designed to reduce the risk of slipping.



### ESD \*

Dissipates electrostatic build-up during use preventing accidental discharges. According to standard IEC 61340-5.1 and IEC 61340-4.3.



### Lemon Scent

The footwear has a fresh and soft fragrance, with a lemon scent.



### Unisex

Style designed to be worn by men and women.

## Materials and Technologies



**CLOG** is made with **Steri-tech™** technology. Its material allows sterilization up to 134 °C, is non-toxic and provides odor resistance, bacterial and fungal growth inhibition.



**CLOG**'s exclusive Steri-tech™ insole uses **Grid Design™** technology to improve its shock absorption capacity, while being highly flexible and breathable to allow maximum comfort.

\* Only applies to CLOG ESD.



## Technical Standard



**CE** In accordance with directive 89/686/EEC.



**EN ISO 20347: 2012** Personal protective equipment — Occupational footwear, class II.



**Norma IEC 61340-5.1.** — Electrical resistance. \*  
**Norma IEC 61340-4.3.** — Electrical resistance. — Class 1 \*



**SATRA TM 144: 2011** Friction (slip resistance) of footwear and floorings test.  
**SATRA TM 158: 1992** Washability

## Technical Specifications

- Heat resistance — autoclavable up to a maximum of 134 °C;
- Slip-resistant;
- Resistant to abrasion;
- Resistant to detergents;
- Resistant to lactic acid;
- Resistant to liquids (such as infiltration of blood);
- Resistant to chemicals;
- Resistant to saltwater;
- Recyclable.

## Care and Cleaning

**Wash:** Machine washable up to a maximum temperature of 90 °C. Can also be steam sterilized in autoclave up to 134 °C.

**Dry:** Wipe with a cloth or dry at room temperature.

## Attention

**CLOG** resists to several sterilizations in autoclave, but durability might be impaired depending on sterilization parameters and number of cycles. **CLOG** also resists to several washings at 90 °C in washing machine. It is not recommended the use of bleaching agents during washing machine cycles at 90 °C. The resistance of **CLOG** material to washing depends on several factors:

- Type of detergent;
- Concentration;
- Cycles' duration;
- Temperature;
- Physical stress during the cycles.

**WOCK®**  
Professional Footwear

# BLOC

PURE

EFFICIENCY



**BLOC** is a one-piece clog designed for long lasting comfort and easy maintenance.

## Description

**BLOC**, is a monocolored occupational clog entirely made of polymeric materials and with the following components:

- Antistatic insert;
- Heel-strap; \*
- Ventilation holes. \*\*

## Users

**BLOC**, is ideal for activities in which professionals spend many hours standing and, who hence have a tendency to suffer foot discomfort or lower body fatigue, especially to be used in:



Operation Room



Hospitals and Other Healthcare Institutions



Pharmaceutical Industry

## Specifications



### Sterilizable

Produced in a high quality polymer which allows sterilization in autoclave up to 134 °C.



### Shock Absorption

The special design helps to reduce the occurrence of micro-lesions in tendons, bones and joints, and the feeling of tired legs.



### Antistatic

Promotes the dissipation of accumulated static electricity.



### Upper Liquid Protection

Avoids the entrance of liquids inside the shoe.



### Breathable \*\*

Regulates the temperature and humidity of the foot.



### Removable Strap \*

Increases comfort and support to the heel, as well as keeps your foot firmly in the footwear.



### Washable

The footwear can be machine washed up to 90 °C.



### Antislip

The sole is designed to reduce the risk of slipping.



### Lemon Scent

The footwear has a fresh and soft fragrance, with a lemon scent.



### Unisex

Style designed to be worn by men and women.

## Materials and Technologies



**BLOC** is made with **Steri-tech™** technology. Its material allows sterilization up to 134 °C, is non-toxic and provides odor resistance, bacterial and fungal growth inhibition.



The special design of the heel gives unparalleled comfort.



## Technical Standard



### CE

In accordance with directive 89/686/EEC.



### EN ISO 20347: 2012

Cluses 5.2.2; 5.3.3; 5.3.4.2; 5.4.2; 5.4.4; 5.4.5;

5.8.1.1; 5.8.2; 5.8.3; 5.8.4; 6.2.2.2; 6.2.4.



### SATRA TM 158: 1992

Washability — 90 °C.

## Technical Specifications

- Heat resistance — autoclavable up to a maximum of 134 °C;
- Slip-resistant;
- Resistant to abrasion;
- Resistant to detergents;
- Resistant to lactic acid;
- Resistant to liquids (such as infiltration of blood);
- Resistant to chemicals;
- Resistant to saltwater;
- Recyclable.

## Care and Cleaning

**Wash:** Machine washable up to a maximum temperature of 90 °C. Can also be steam sterilized in autoclave up to 134 °C.

**Dry:** Wipe with a cloth or dry at room temperature.

## Attention

**BLOC** resists to several sterilizations in autoclave, but durability might be impaired depending on sterilization parameters and number of cycles. **BLOC** also resists to several washings at 90 °C in washing machine. It is not recommended the use of bleaching agents during washing machine cycles at 90 °C. The resistance of **BLOC** material to washing depends on several factors:

- Type of detergent;
- Concentration;
- Cycles' duration;
- Temperature;
- Physical stress during the cycles.

\* Only applies to BLOC Strap version.

\*\* Only applies to BLOC Open version.

# NEXO

PROFESSIONAL  
SNEAKER



With a dynamic design and a unique curve, **NEXO** suits everyone who has a job that requires speed and agility.

## Description

**NEXO**, is a bicoloured occupational sneaker made entirely of polymeric materials with the following components:

- Removable insole;
- Instep-strap;
- Ventilation holes — both on sneaker and insole.

## Users

**NEXO**, is ideal for very active people, who walk a lot and fast in either work or leisure activities. It is also recommended for who has a tendency to incur in foot discomfort or lower body fatigue, especially to be used in:



Operation  
Room



Hospitals and Other  
Healthcare Institutions



Catering  
Industry



Geriatrics and  
Physiotherapists

## Specifications



### Sterilizable

Produced in an high quality polymer which allows sterilization in autoclave up to 134 °C.



### Closed Heel

Additional support for the moments that require extra agility.



### Removable Insole

It's detachable to allow a deeper cleaning.



### Shock Absorption

The special design helps to reduce the occurrence of micro-lesions in tendons, bones and joints, and the feeling of tired legs.



### Antistatic

Promotes the dissipation of accumulated static electricity.



### Upper Liquid Protection

Avoids the entrance of liquids inside the shoe.



### Breathable

Regulates the temperature and humidity of the foot.



### Washable

The footwear can be machine washed up to 90 °C.



### Antislip

The sole is designed to reduce the risk of slipping.



### Lemon Scent

The footwear has a fresh and soft fragrance, with a lemon scent.



### Unisex

Style designed to be worn by men and women.

## Materials and Technologies



**NEXO** is made with **Steri-tech™** technology. Its material allows sterilization up to 134°C, is non-toxic and provides odor resistance, bacterial and fungal growth inhibition.



**NEXO's** exclusive **Steri-tech™** insole uses Grid Design™ technology to improve its shock absorption capacity, while being highly flexible and breathable to allow maximum comfort.



## Technical Standard



**CE** In accordance with directive 89/686/EEC.



**EN ISO 20347: 2012** Personal protective equipment — Occupational footwear, class II.



**SATRA TM 144: 2011** Friction (slip resistance) of footwear and floorings test.  
**SATRA TM 158: 1992** Washability

## Technical Specifications

- Heat resistance — up to a maximum of 134 °C;
- Slip-resistant;
- Resistant to abrasion;
- Resistant to detergents;
- Resistant to lactic acid;
- Resistant to liquids (such as infiltration of blood);
- Resistant to chemicals;
- Resistant to saltwater;
- Recyclable.

## Care and Cleaning

**Wash:** Machine washable up to a maximum temperature of 90 °C. Can also be steam sterilized in autoclave up to 134 °C.

**Dry:** Wipe with a cloth or dry at room temperature.

## Attention

**NEXO** resists to several sterilizations in autoclave, but durability might be impaired depending on sterilization parameters and number of cycles. **NEXO** also resists to several washings at 90°C in the washing machine. It is not recommended the use of bleaching agents during washing machine cycles at 90 °C. The resistance of **NEXO** material to washing depends on several factors:

- Type of detergent;
- Concentration;
- Cycles' duration;
- Temperature;
- Physical stress during the cycles.

# NUBE

SAFETY  
IN EACH STEP



**NUBE** was designed to assure an excellent antislip performance, allowing you to reach further and more comfortably.

## Description

**NUBE**, this occupational clog is entirely made of polymeric materials and has the following components:

- Spillage protection device;
- Evergrip™ rubber track;
- Antistatic insert.

## Users

**NUBE**, is ideal for uses where prolonged standing or walking may tend to induce foot discomfort or lower body fatigue, especially to be used in:



Food  
Industry



Swimming  
Pool Areas



Geriatrics and  
Physiotherapists



Hospitals and Other  
Healthcare Institutions

## Specifications



### Super Light

Feelite™ technology produces remarkably light, resistant and comfortable footwear.



### Antislip

The sole is designed to reduce the risk of slipping — SRC Antislip approved.



### Optional Insole

Allows you to raise even more your comfort.



### Coolmax® Technology

The Coolmax® insole allows air to circulate inside the shoe, drying humidity faster and keeping the feet drier.



### Shock Absorption

The special design helps to reduce the occurrence of micro-lesions in tendons, bones and joints, and the feeling of tired legs.



### Antistatic

Promotes the dissipation of accumulated static electricity.



### Upper Liquid Protection

Avoids the entrance of liquids inside the shoe.



### Spillage Protection

Allows to choose between extra ventilation or superior protection, which prevents the entrance of liquids into the footwear.



### Breathable

Regulates the temperature and humidity of the foot.



### Washable

The footwear can be machine washed up to 50 °C.\*



### TÜV

This footwear was tested and approved by TÜV Institute in Germany, for its antislip and antistatic properties.



### Unisex

Style designed to be worn by men and women.

## Materials and Technologies



**NUBE** is made with **Feelite™** technology. Its material is super lightweight and provides odor resistance, inhibits proliferation of bacteria and is non-toxic.



The geometric design and the exclusive chemical formula used in the production of the rubber track of **NUBE** outsole, provides excellent adherence to the ground, reducing the risk of slipping. **NUBE's** Evergrip™ outsole accomplishes SRC antislip level.



## Technical Standard



### CE

In accordance with directive 89/686/EEC.



**EN ISO 20347: 2012** Personal protective equipment — Occupational footwear, class II.

**EN ISO 20347: 2012 (5.3.4.4)** Slip resistance on ceramic tile floor with SLS and on steel floor with glycerine — SRC.



**SATRA TM 158: 1992** Washability

## Technical Specifications

- SRC Slip-resistant;
- Heat resistance — machine washable up to a maximum of 50 °C;
- Resistant to abrasion;
- Everlite™ Fuel oil resistant;
- Resistant to detergents;
- Resistant to lactic acid;
- Resistant to liquids (such as infiltration of blood);
- Resistant to chemicals;
- Resistant to saltwater;
- Resistant to animal fat.

## Care and Cleaning

**Wash:** Machine washable up to a maximum temperature of 50 °C. Can also be cold sterilized with chlorine, sodium hypochlorite or hydrogen peroxide.

**Dry:** Wipe with a cloth or dry at room temperature.

## Attention

**NUBE** resists several washings at 50 °C in washing machine. It is not recommended the use of bleaching agents during washing machine cycles at 50 °C. The resistance of **NUBE** material to washing depends on several factors:

- Type of detergent;
- Concentration;
- Cycles' duration;
- Temperature;
- Physical stress during the cycles.

\* Optional insole is not machine washable.